## NEUROLOGICAL PROBLEMS OF THE SHOULDER: CLINICAL NEUROPHYSIOLOGY

Dr Manohar Deshpande MD, DM, FRCP Consultant Clinical Neurophysiologist Walton Centre, Liverpool

## Clinical Neurophysiology

Overview of Techniques of Assessment

 Clinical Objectives of Nerve Conduction Studies /EMG tests

- Approach to Neurophysiological assessment of shoulder disorders
- Interpretation of Report /Results

## Clinical Neurophysiology

A diagnostic specialty

 Electro-diagnosis – diagnosis of peripheral nervous system disorders

- Techniques
  - A. Nerve Conduction Studies
  - B. EMG Electromyography

## Clinical Neurophysiology


- NERVE CONDUCTION STUDIES study of electrically evoked responses from peripheral nerves
  - Sensory Nerve Conduction
  - Motor Nerve Conduction

\* ELECTROMYOGRAPHY


#### NERVE CONDUCTION STUDIES

- Nerves Accessible for Stimulation e.g.
   Median and Ulnar nerves in upper limbs
- Technical criteria limb temperature, oedema
- Physiological factors age
- Underlying general medical conditions –
   e.g. . Diabetes


### Sensory Nerve Conduction



#### Motor Nerve Conduction




#### F Wave studies



### EMG - Electromyography

- Study of the normal electrical activity within a muscle using a needle electrode.
- Normal muscle silent at rest. Voluntary effort -Normal pattern of motor unit activation
- EMG abnormalities Neurogenic V Myopathic
- Neurogenic EMG changes delayed 2-3 weeks following injury.
- Acute vs. Chronic denervation

### **EMG**



## Nerve Conduction Studies and EMG - Clinical Objectives

Localisation

Characterisation

Quantification

Prognosis

### Neurodiagnostic assessment


An extension of clinical assessment

 Clinical hypothesis important – detailed clinical history and examination findings


 Neurophysiological abnormalities interpreted in the context of clinical picture

## Neurological Problems of the Shoulder - Diagnosis

Nerve Injuries –
 Axillary Nerve – Weakness and Wasting of Deltoid









## Shoulder - Nerve Injuries


\* Suprascapular Nerve – Supraspinatus / Infraspinatus affected



## Shoulder - Nerve Injuries

\* Long thoracic Nerve – Serratus anterior






## Shoulder - Nerve Injuries

\* Accessory Nerve – Trapezius



# Shoulder Injuries - Brachial Plexus





### Neuralgic Amyotrophy

- Disorder of unknown aetiology
- Severe shoulder /scapular pain
- Later weakness and wasting
- Patterns of involvement

  variable
- Diagnosis clinical features + Neurophysiology

# Cervical Radiculopathy - C5/6 root lesions





Representation of the anterstateral aspect of the neck, shoulder, and upper limb. The thick black line represents the sharp, radiating pain, which often has a derivational pattern. Nitemapted lines indicate sharp pain with a CB radiculopathy, which is on the inner aspects of the ann and forcern. The diffuse gray areas represent the poorly localized dull ache. A shall ache medial to the shoulder blade is a common complaint in all convical radiculopathies and is no localizing value. The area covered by small dots indicates the location of paraesthesia and sensory impairment.

## The Nerve Conduction Studies / EMG Report

- Localisation a. Is the problem neurogenic?
   b. If so, what level e.g.
   Pre-ganglionic v Post-ganglionic
- Characterisation /Quantification of abnormalities
- Prognosis e.g. Evidence of neural continuity
   Reinnervation patterns

-----

Discussion with Neurophysiologist

## Thank you

